

Earth Labs, LLC 15375 Barranca Pkwy Suite F101 Irvine, CA 92618

(888) 835-2276 http://www.earthlabs.net Lic# C8-000037-LIC

1 of 3

#### Hempworx 750 Hemp-Derived Crystalline CBD

Sample ID: 1912ELA1487.4205 Strain: Hempworx 750 Hemp-Derived MatstallingesBiBle Type: Tincture Sample Size: 1 units; Batch:

Manufactured: N/A Collected: Received: 12/11/2019 Completed: 12/19/2019 Batch#:

#### Client **Real Tested CBD** Lic.# 1 Pelican Point Newport Coast, CA 92657

#### Summary



Result Pass Complete Pass Pass



# Cannabinoids

Complete

<b>ND</b> Total THC			<b>13.8490 mg/serving</b> Total CBD				<b>13.8490 mg/serving</b> Total Cannabinoids		
Analyte	LOD	LOQ	Result	Result	Result	Result			
	mg/g	mg/g	%	mg/g	mg/serving	mg/package			
THCa	0.008	0.198	ND	ND	ND	ND			
∆9-THC	0.015	0.198	ND	ND	ND	ND			
∆8-THC	0.011	0.198	ND	ND	ND	ND			
THCV	0.018	0.198	ND	ND	ND	ND			
CBDa	0.009	0.198	<loq< th=""><th><loq< th=""><th><loq< th=""><th><loq< th=""><th></th></loq<></th></loq<></th></loq<></th></loq<>	<loq< th=""><th><loq< th=""><th><loq< th=""><th></th></loq<></th></loq<></th></loq<>	<loq< th=""><th><loq< th=""><th></th></loq<></th></loq<>	<loq< th=""><th></th></loq<>			
CBD	0.022	0.198	2.6032	26.032	13.8490	692.4512			
CBDV	0.015	0.198	<loq< th=""><th><loq< th=""><th><loq< th=""><th><loq< th=""><th></th></loq<></th></loq<></th></loq<></th></loq<>	<loq< th=""><th><loq< th=""><th><loq< th=""><th></th></loq<></th></loq<></th></loq<>	<loq< th=""><th><loq< th=""><th></th></loq<></th></loq<>	<loq< th=""><th></th></loq<>			
CBN	0.008	0.198	ND	ND	ND	ND			
CBGa	0.015	0.198	ND	ND	ND	ND			
CBG	0.015	0.198	ND	ND	ND	ND			
CBC	0.011	0.198	ND	ND	ND	ND			
Total THC			ND	ND	ND	ND			
Total CBD			2.6032	26.032	13.8490	692.4512			
Total			2.6032	26.032	13.8490	692.4512			

1 mL = 0.9074g. 50 serving(s) per package. Cannabinoids analysis by SOP LAB-001 utilizing High Performance Liquid Chromatography-Diode Array Detection (HPLC-DAD). Total THC = THCa \* 0.877 + d9-THC; Total CBD = CBDa \* 0.877 + CBD. LOQ = Limit of Quantitation. LOD = Limit of Detection. ND = Not Detected. If moisture content is tested and reported, the cannabinoid results are reported normalized to dry weight.









Joy Gravitt - Laboratory Manager 12/19/2019

The second secon



Earth Labs, LLC 15375 Barranca Pkwy Suite F101 http://www.earthlabs.net Irvine, CA 92618

(888) 835-2276 Lic# C8-0000037-LIC

## Hempworx 750 Hemp-Derived Crystalline CBD

Sample ID: 1912ELA1487.4205	Manufactured: N/A	Client
Strain: Hempworx 750 Hemp-Derived	Collected:	Real Tested CBD
Martallingestille	Received: 12/11/2019	Lic. #
Type: Tincture	Completed: 12/19/2019	1 Pelican Point
Sample Size: 1 units; Batch:	Batch#:	Newport Coast, CA 92657

## **Residual Pesticides**

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.022	0.066	0.3	ND	Pass	Fludioxonil	0.015	0.046	30	ND	Pass
Acephate	0.004	0.012	5	ND	Pass	Hexythiazox	0.007	0.021	2	ND	Pass
Acequinocyl	0.015	0.044	4	ND	Pass	Imazalil	0.029	0.086	0.029	ND	Pass
Acetamiprid	0.005	0.015	5	ND	Pass	Imidacloprid	0.008	0.024	3	ND	Pass
Aldicarb	0.025	0.074	0.025	ND	Pass	Kresoxim Methyl	0.025	0.074	1	ND	Pass
Azoxystrobin	0.009	0.028	40	ND	Pass	Malathion	0.028	0.084	5	ND	Pass
Bifenazate	0.005	0.014	5	ND	Pass	Metalaxyl	0.026	0.079	15	ND	Pass
Bifenthrin	0.022	0.066	0.5	ND	Pass	Methiocarb	0.031	0.093	0.031	ND	Pass
Boscalid	0.014	0.042	10	ND	Pass	Methomyl	0.031	0.093	0.1	ND	Pass
Captan	0.21	0.593	5	ND	Pass	Mevinphos	0.01	0.031	0.01	ND	Pass
Carbaryl	0.009	0.027	0.5	ND	Pass	Myclobutanil	0.017	0.052	9	ND	Pass
Carbofuran	0.018	0.054	0.018	ND	Pass	Naled	0.027	0.081	0.5	ND	Pass
Chlorantraniliprole	0.03	0.09	40	ND	Pass	Oxamyl	0.014	0.042	0.2	ND	Pass
Chlordane	0.023	0.075	0.023	ND	Pass	Paclobutrazol	0.017	0.051	0.017	ND	Pass
Chlorfenapyr	0.007	0.022	0.007	ND	Pass	Parathion Methyl	0.011	0.033	0.011	ND	Pass
Chlorpyrifos	0.018	0.054	0.018	ND	Pass	Pentachloronitrobenzene	0.025	0.079	0.2	ND	Pass
Clofentezine	0.025	0.075	0.5	ND	Pass	Permethrin	0.087	0.26	20	ND	Pass
Coumaphos	0.02	0.06	0.02	ND	Pass	Phosmet	0.02	0.06	0.2	ND	Pass
Cyfluthrin	0.158	0.475	1	ND	Pass	Piperonyl Butoxide	0.021	0.063	8	ND	Pass
Cypermethrin	0.037	0.111	1	ND	Pass	Prallethrin	0.026	0.078	0.4	ND	Pass
Daminozide	0.01	0.03	0.01	ND	Pass	Propiconazole	0.029	0.088	20	ND	Pass
Diazinon	0.008	0.024	0.2	ND	Pass	Propoxur	0.03	0.089	0.03	ND	Pass
Dichlorvos	0.015	0.044	0.015	ND	Pass	Pyrethrins	0.02	0.059	1	ND	Pass
Dimethoate	0.027	0.082	0.027	ND	Pass	Pyridaben	0.006	0.018	3	ND	Pass
Dimethomorph	0.016	0.048	20	ND	Pass	Spinetoram	0.019	0.056	3	ND	Pass
Ethoprophos	0.018	0.055	0.018	ND	Pass	Spinosad	0.011	0.034	3	ND	Pass
Etofenprox	0.013	0.038	0.013	ND	Pass	Spiromesifen	0.019	0.057	12	ND	Pass
Etoxazole	0.029	0.088	1.5	ND	Pass	Spirotetramat	0.031	0.094	13	ND	Pass
Fenhexamid	0.019	0.058	10	ND	Pass	Spiroxamine	0.02	0.061	0.02	ND	Pass
Fenoxycarb	0.031	0.092	0.031	ND	Pass	Tebuconazole	0.008	0.025	2	ND	Pass
Fenpyroximate	0.01	0.03	2	ND	Pass	Thiacloprid	0.016	0.048	0.016	ND	Pass
Fipronil	0.016	0.047	0.016	ND	Pass	Thiamethoxam	0.005	0.015	4.5	ND	Pass
Flonicamid	0.001	0.004	2	ND	Pass	Trifloxystrobin	0.005	0.014	30	ND	Pass

Date Tested: 12/19/2019

Pasticides analysis by SOP LAB-005 using Gas Chromatography - Mass Spectrometry - Mass Spectrometry (GC-MS/MS) and by SOP LAB-004 utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS). LOQ = Limit of Quantitation. LOD = Limit of Detection. ND = Not Detected.





**Confident Cannabis** All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Joy Gravitt - Laboratory Manager 12/19/2019

Www.commetaninabiscom Foreign material analysis by SOP LAB-008 utilizing visual examination and optical microscopy. Water activity measurement by SOP LAB-010 utilizing chilled-mirror dew point analysis. Moisture content measurement by SOP LAB-009 utilizing thermogravimetric analysis. This product has been tested by Earth Labs, LLC using valid testing methodologies and quality system as required by state law. All LQC samples were performed and met the acceptance criteria, pursuant to 16 CCR section 5730. Values reported relate only to the product tested. Earth Labs, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Earth Labs, LLC.

2 of 3

Pass



(888) 835-2276 http://www.earthlabs.net Lic# C8-0000037-LIC

### Hempworx 750 Hemp-Derived Crystalline CBD

Sample ID: 1912ELA1487.4205	Manufactured: N/A	Client
Strain: Hempworx 750 Hemp-Derived	Collected:	Real Tested CBD
Mataia!!ingesBiDie	Received: 12/11/2019	Lic.#
Type: Tincture	Completed: 12/19/2019	1 Pelican Point
Sample Size: 1 units; Batch:	Batch#:	Newport Coast, CA 92657

# **Residual Solvents**

Analyte	LOD	LOQ	Limit	Result	Status
i	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloroethane	0.22	0.90	1	<loq< td=""><td>Pass</td></loq<>	Pass
Acetone	9.27	200.00	5000	ND	Pass
Acetonitrile	9.58	200.00	410	ND	Pass
Benzene	0.18	0.90	1	ND	Pass
Butane	9.45	400.00	5000	ND	Pass
Chloroform	0.17	0.90	1	ND	Pass
Ethanol	71.28	800.00	5000	ND	Pass
Ethyl acetate	10.24	200.00	5000	ND	Pass
Ethyl ether	10.44	200.00	5000	ND	Pass
Ethylene oxide	0.08	0.90	1	ND	Pass
Heptane	19.50	200.00	5000	ND	Pass
Isopropyl alcohol	16.26	200.00	5000	ND	Pass
Methanol	31.76	200.00	3000	ND	Pass
Methylene chloride	0.19	0.90	1	ND	Pass
Hexane	32.19	200.00	290	ND	Pass
Pentane	19.80	200.00	5000	ND	Pass
Propane	23.18	400.00	5000	ND	Pass
Toluene	10.26	200.00	890	ND	Pass
Trichloroethylene	0.16	0.90	1	ND	Pass
Total xylenes (ortho-, meta-, para-)	12.33	200.00	2170	ND	Pass

Date Tested: 12/19/2019

Residual Solvents analysis by SOP LAB-003 utilizing Gas Chromatography – Flame Ionization Detection (GC-FID) and Gas Chromatography – Mass Spectrometry (GC-MS). LOQ = Limit of Quantitation. LOD = Limit of Detection. ND = Not Detected.





Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Joy Gravitt - Laboratory Manager 12/19/2019

Www.commetaninabiscom Foreign material analysis by SOP LAB-008 utilizing visual examination and optical microscopy. Water activity measurement by SOP LAB-010 utilizing chilled-mirror dew point analysis. Moisture content measurement by SOP LAB-009 utilizing thermogravimetric analysis. This product has been tested by Earth Labs, LLC using valid testing methodologies and quality system as required by state law. All LQC samples were performed and met the acceptance criteria, pursuant to 16 CCR section 5730. Values reported relate only to the product tested. Earth Labs, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Earth Labs, LLC.

3 of 3

Pass