

ELIXINOL HEMP BALM EXTRA STRENGTH 250 MG

Sample ID: 2001ELA0108.0297
Strain: ELIXINOL HEMP BALM EXTRA
STRENGTH 250 MG
Matrix: Topical
Type: Other
Sample Size: 1 units; Batch:

Manufactured: N/A
Collected:
Received: 01/22/2020
Completed: 02/05/2020
Batch#:

Client
Real Tested CBD
Lic. #
1 Pelican Point
Newport Coast, CA 92657



Summary

| Test | Date Tested | Result |
|-------------------|-------------|----------|
| Batch | | Pass |
| Cannabinoids | 01/30/2020 | Complete |
| Residual Solvents | 02/05/2020 | Pass |
| Pesticides | 02/04/2020 | Pass |

Cannabinoids

Complete

205.5920 mg/package

Total THC

304.4118 mg/package

Total CBD

561.9627 mg/package

Total Cannabinoids

| Analyte | LOD | LOQ | Result | Result | Result |
|------------------|-------|-------|---------------|--------------|-----------------|
| | mg/g | mg/g | % | mg/g | mg/package |
| THCa | 0.004 | 0.099 | 0.1916 | 1.916 | 234.4264 |
| Δ9-THC | 0.008 | 0.099 | ND | ND | ND |
| Δ8-THC | 0.006 | 0.099 | ND | ND | ND |
| THCV | 0.009 | 0.099 | 0.0189 | 0.189 | 23.1245 |
| CBDa | 0.004 | 0.099 | <LOQ | <LOQ | <LOQ |
| CBD | 0.011 | 0.099 | 0.2488 | 2.488 | 304.4118 |
| CBDV | 0.008 | 0.099 | ND | ND | ND |
| CBN | 0.004 | 0.099 | ND | ND | ND |
| CBGa | 0.008 | 0.099 | ND | ND | ND |
| CBG | 0.008 | 0.099 | ND | ND | ND |
| CBC | 0.006 | 0.099 | <LOQ | <LOQ | <LOQ |
| Total THC | | | 0.1680 | 1.680 | 205.5920 |
| Total CBD | | | 0.2488 | 2.488 | 304.4118 |
| Total | | | 0.4593 | 4.593 | 561.9627 |

1 package = 122.352g.

Cannabinoids analysis by SOP LAB-001 utilizing High Performance Liquid Chromatography-Diode Array Detection (HPLC-DAD). Total THC = THCa * 0.877 + d9-THC; Total CBD = CBDa * 0.877 + CBD. LOQ = Limit of Quantitation. LOD = Limit of Detection. ND = Not Detected. If moisture content is tested and reported, the cannabinoid results are reported normalized to dry weight.



Melinda Tu

Melinda Tu - QC Manager
02/05/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Foreign material analysis by SOP LAB-008 utilizing visual examination and optical microscopy. Water activity measurement by SOP LAB-010 utilizing chilled-mirror dew point analysis. Moisture content measurement by SOP LAB-009 utilizing thermogravimetric analysis. This product has been tested by Earth Labs, LLC using valid testing methodologies and quality system as required by state law. All LQC samples were performed and met the acceptance criteria, pursuant to 16 CCR section 5730. Values reported relate only to the product tested. Earth Labs, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Earth Labs, LLC.



Earth Labs, LLC
15375 Barranca Pkwy Suite F101
Irvine, CA 92618

(888) 835-2276
http://www.earthlabs.net
Lic# C8-0000037-LIC

QA Test Results

2 of 3

ELIXINOL HEMP BALM EXTRA STRENGTH 250 MG

Sample ID: 2001ELA0108.0297
Strain: ELIXINOL HEMP BALM EXTRA
STRENGTH 250 MG
Matrix: Topical
Type: Other
Sample Size: 1 units; Batch:

Manufactured: N/A
Collected:
Received: 01/22/2020
Completed: 02/05/2020
Batch#:

Client
Real Tested CBD
Lic. #
1 Pelican Point
Newport Coast, CA 92657

Residual Pesticides

Pass

| Analyte | LOD | LOQ | Limit | Result | Status | Analyte | LOD | LOQ | Limit | Result | Status |
|---------------------|-------|-------|-------|--------|--------|-------------------------|-------|-------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| Abamectin | 0.022 | 0.066 | 0.3 | ND | Pass | Fludioxonil | 0.015 | 0.046 | 30 | ND | Pass |
| Acephate | 0.004 | 0.012 | 5 | ND | Pass | Hexythiazox | 0.007 | 0.021 | 2 | ND | Pass |
| Acequinocyl | 0.015 | 0.044 | 4 | ND | Pass | Imazalil | 0.029 | 0.086 | 0.029 | ND | Pass |
| Acetamiprid | 0.005 | 0.015 | 5 | ND | Pass | Imidacloprid | 0.008 | 0.024 | 3 | ND | Pass |
| Aldicarb | 0.025 | 0.074 | 0.025 | ND | Pass | Kresoxim Methyl | 0.025 | 0.074 | 1 | ND | Pass |
| Azoxystrobin | 0.009 | 0.028 | 40 | ND | Pass | Malathion | 0.028 | 0.084 | 5 | ND | Pass |
| Bifenazate | 0.005 | 0.014 | 5 | ND | Pass | Metalaxyl | 0.026 | 0.079 | 15 | ND | Pass |
| Bifenthrin | 0.022 | 0.066 | 0.5 | ND | Pass | Methiocarb | 0.031 | 0.093 | 0.031 | ND | Pass |
| Boscalid | 0.014 | 0.042 | 10 | ND | Pass | Methomyl | 0.031 | 0.093 | 0.1 | ND | Pass |
| Captan | 0.21 | 0.593 | 5 | ND | Pass | Mevinphos | 0.01 | 0.031 | 0.01 | ND | Pass |
| Carbaryl | 0.009 | 0.027 | 0.5 | ND | Pass | Myclobutanil | 0.017 | 0.052 | 9 | ND | Pass |
| Carbofuran | 0.018 | 0.054 | 0.018 | ND | Pass | Naled | 0.027 | 0.081 | 0.5 | ND | Pass |
| Chlorantraniliprole | 0.03 | 0.09 | 40 | ND | Pass | Oxamyl | 0.014 | 0.042 | 0.2 | ND | Pass |
| Chlordane | 0.023 | 0.075 | 0.023 | ND | Pass | Paclobutrazol | 0.017 | 0.051 | 0.017 | ND | Pass |
| Chlorfenapyr | 0.007 | 0.022 | 0.007 | ND | Pass | Parathion Methyl | 0.011 | 0.033 | 0.011 | ND | Pass |
| Chlorpyrifos | 0.018 | 0.054 | 0.018 | ND | Pass | Pentachloronitrobenzene | 0.025 | 0.079 | 0.2 | ND | Pass |
| Clofentazine | 0.025 | 0.075 | 0.5 | ND | Pass | Permethrin | 0.087 | 0.26 | 20 | ND | Pass |
| Coumaphos | 0.02 | 0.06 | 0.02 | ND | Pass | Phosmet | 0.02 | 0.06 | 0.2 | ND | Pass |
| Cyfluthrin | 0.158 | 0.475 | 1 | ND | Pass | Piperonyl Butoxide | 0.021 | 0.063 | 8 | <LOQ | Pass |
| Cypermethrin | 0.037 | 0.111 | 1 | ND | Pass | Prallethrin | 0.026 | 0.078 | 0.4 | ND | Pass |
| Daminozide | 0.01 | 0.03 | 0.01 | ND | Pass | Propiconazole | 0.029 | 0.088 | 20 | ND | Pass |
| Diazinon | 0.008 | 0.024 | 0.2 | ND | Pass | Propoxur | 0.03 | 0.089 | 0.03 | ND | Pass |
| Dichlorvos | 0.015 | 0.044 | 0.015 | ND | Pass | Pyrethrins | 0.02 | 0.059 | 1 | ND | Pass |
| Dimethoate | 0.027 | 0.082 | 0.027 | ND | Pass | Pyridaben | 0.006 | 0.018 | 3 | ND | Pass |
| Dimethomorph | 0.016 | 0.048 | 20 | <LOQ | Pass | Spinetoram | 0.019 | 0.056 | 3 | ND | Pass |
| Ethoprophos | 0.018 | 0.055 | 0.018 | ND | Pass | Spinosad | 0.011 | 0.034 | 3 | ND | Pass |
| Etofenprox | 0.013 | 0.038 | 0.013 | ND | Pass | Spiromesifen | 0.019 | 0.057 | 12 | ND | Pass |
| Etoazole | 0.029 | 0.088 | 1.5 | ND | Pass | Spirotetramat | 0.031 | 0.094 | 13 | ND | Pass |
| Fenhexamid | 0.019 | 0.058 | 10 | ND | Pass | Spiroxamine | 0.02 | 0.061 | 0.02 | ND | Pass |
| Fenoxycarb | 0.031 | 0.092 | 0.031 | ND | Pass | Tebuconazole | 0.008 | 0.025 | 2 | ND | Pass |
| Fenpyroximate | 0.01 | 0.03 | 2 | ND | Pass | Thiacloprid | 0.016 | 0.048 | 0.016 | ND | Pass |
| Fipronil | 0.016 | 0.047 | 0.016 | ND | Pass | Thiamethoxam | 0.005 | 0.015 | 4.5 | ND | Pass |
| Flonicamid | 0.001 | 0.004 | 2 | ND | Pass | Trifloxystrobin | 0.005 | 0.014 | 30 | ND | Pass |

Date Tested: 02/04/2020

Pesticides analysis by SOP LAB-005 using Gas Chromatography - Mass Spectrometry - Mass Spectrometry (GC-MS/MS) and by SOP LAB-004 utilizing Liquid Chromatography - Mass Spectrometry - Mass Spectrometry (LC-MS/MS). LOQ = Limit of Quantitation. LOD = Limit of Detection. ND = Not Detected.



Melinda Tu

Melinda Tu - QC Manager
02/05/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Foreign material analysis by SOP LAB-008 utilizing visual examination and optical microscopy. Water activity measurement by SOP LAB-010 utilizing chilled-mirror dew point analysis. Moisture content measurement by SOP LAB-009 utilizing thermogravimetric analysis. This product has been tested by Earth Labs, LLC using valid testing methodologies and quality system as required by state law. All LQC samples were performed and met the acceptance criteria, pursuant to 16 CCR section 5730. Values reported relate only to the product tested. Earth Labs, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Earth Labs, LLC.



Earth Labs, LLC
15375 Barranca Pkwy Suite F101
Irvine, CA 92618

(888) 835-2276
<http://www.earthlabs.net>
Lic# C8-0000037-LIC

QA Test Results

3 of 3

ELIXINOL HEMP BALM EXTRA STRENGTH 250 MG

Sample ID: 2001ELA0108.0297

Manufactured: N/A

Client

Strain: ELIXINOL HEMP BALM EXTRA

Collected:

Real Tested CBD

Matrix: Topical

Received: 01/22/2020

Lic. #

Type: Other

Completed: 02/05/2020

1 Pelican Point

Sample Size: 1 units; Batch:

Batch#:

Newport Coast, CA 92657

Residual Solvents

| Analyte | LOD | LOQ | Limit | Result | Status |
|--------------------------------------|-------|--------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| 1,2-Dichloroethane | 0.22 | 0.90 | 1 | ND | Pass |
| Acetone | 9.27 | 200.00 | 5000 | ND | Pass |
| Acetonitrile | 9.58 | 200.00 | 410 | ND | Pass |
| Benzene | 0.18 | 0.90 | 1 | ND | Pass |
| Butane | 9.45 | 400.00 | 5000 | ND | Pass |
| Chloroform | 0.17 | 0.90 | 1 | ND | Pass |
| Ethanol | 71.28 | 800.00 | 5000 | ND | Pass |
| Ethyl acetate | 10.24 | 200.00 | 5000 | ND | Pass |
| Ethyl ether | 10.44 | 200.00 | 5000 | ND | Pass |
| Ethylene oxide | 0.08 | 0.90 | 1 | ND | Pass |
| Heptane | 19.50 | 200.00 | 5000 | ND | Pass |
| Isopropyl alcohol | 16.26 | 200.00 | 5000 | ND | Pass |
| Methanol | 31.76 | 200.00 | 3000 | ND | Pass |
| Methylene chloride | 0.19 | 0.90 | 1 | ND | Pass |
| Hexane | 32.19 | 200.00 | 290 | ND | Pass |
| Pentane | 19.80 | 200.00 | 5000 | ND | Pass |
| Propane | 23.18 | 400.00 | 5000 | ND | Pass |
| Toluene | 10.26 | 200.00 | 890 | ND | Pass |
| Trichloroethylene | 0.16 | 0.90 | 1 | ND | Pass |
| Total xylenes (ortho-, meta-, para-) | 12.33 | 200.00 | 2170 | ND | Pass |

earthlabs

Date Tested: 02/05/2020

Residual Solvents analysis by SOP LAB-003 utilizing Gas Chromatography – Flame Ionization Detection (GC-FID) and Gas Chromatography – Mass Spectrometry (GC-MS).

LOQ = Limit of Quantitation. LOD = Limit of Detection. ND = Not Detected.



Melinda Tu

Melinda Tu - QC Manager
02/05/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Foreign material analysis by SOP LAB-008 utilizing visual examination and optical microscopy. Water activity measurement by SOP LAB-010 utilizing chilled-mirror dew point analysis. Moisture content measurement by SOP LAB-009 utilizing thermogravimetric analysis. This product has been tested by Earth Labs, LLC using valid testing methodologies and quality system as required by state law. All LQC samples were performed and met the acceptance criteria, pursuant to 16 CCR section 5730. Values reported relate only to the product tested. Earth Labs, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Earth Labs, LLC.